

Module enfichable avec poignée IEL, Avec blindage, Noir, 3 U



Module enfichable, avec poignée IEL d'insertion/d'extraction noire, 3 U, montage avant. La face avant en U permet un blindage avec un joint textile.

FONCTIONS

Face avant en U pour joint textile

Pour force d'insertion/extraction jusqu'à 700 N (par paire)

Permet l'installation d'un microswitch

Permet l'installation des pions de détrompage conformément à la norme IEC60297-3-103/ IEEE 1101.10

Matériau: Aluminium
Finition: Anodisé; Passivé
Type de produit: Face avant
Type: Face avant avec poignée (PIU)



SPÉCIFICATIONS

Table 1/2

Référence catalogue	Largeur du rack	Quantité par colis	Type de poignée	Fixation	Type de joint	Finition avant
20848-585	4HP	1	IEL	À visser à l'avant	Textile EMC	Anodisé
20848-591	12HP	1	IEL	À visser à l'avant	Textile EMC	Anodisé
20848-590	10HP	1	IEL	À visser à l'avant	Textile EMC	Anodisé
20848-589	8HP	1	IEL	À visser à l'avant	Textile EMC	Anodisé
20848-587	6HP	1	IEL	À visser à l'avant	Textile EMC	Anodisé

Table 2/2							
Référence catalogue	Face d'appui	Arêtes traitées	Conformité	Blindage électromagnétique	Hauteur (H)	Hauteur du rack	Largeur (W)
20848-585	Décapé	Non	CEI 60297-3-102, IEEE 1101,10, CEI 60297-3-103, IEEE 1101,1/11	Oui	128.4mm	3U	20mm
20848-591	Décapé	Non	CEI 60297-3-102, IEEE 1101,10, CEI 60297-3-103, IEEE 1101,1/11	Oui	128.4mm	3U	60.6mm
20848-590	Décapé	Non	CEI 60297-3-102, IEEE 1101,10, CEI 60297-3-103, IEEE 1101,1/11	Oui	128.4mm	3U	50.5mm
20848-589	Décapé	Non	CEI 60297-3-102, IEEE 1101,10, CEI 60297-3-103, IEEE 1101,1/11	Oui	128.4mm	3U	40.3mm
20848-587	Décapé	Non	CEI 60297-3-102, IEEE 1101,10, CEI 60297-3-103, IEEE 1101,1/11	Oui	128.4mm	3U	30.1mm

This exploded view diagram illustrates the components of a door handle assembly. The parts are numbered as follows:

- 1**: The main vertical door plate.
- 2**: A vertical mounting plate or spacer.
- 3**: The handle lever mechanism.
- 4**: A rectangular mounting bracket.
- 5**: A long screw for mounting the plate to the door.
- 6**: A small pin or spacer.
- 7**: A short screw for securing the lever mechanism.
- 8**: A horizontal plate or trim piece.
- 9**: A horizontal mounting plate or trim piece.
- 10**: A long screw for mounting the plate to the door.

dommages matériels, des blessures corporelles graves et la mort et/ou annuler votre garantie.

North America

All locations
+1.763.422.2661
Chat with us:
nvent.com/schroff

Europe

Straubenhardt, Germany
+49.7082.794.0
Betschdorf, France
+33.3.88.90.64.90
Warsaw, Poland
+48.22.209.98.35
Assago, Italy
+39.02.932.7141
Chat with us:
nvent.com/schroff

Asia

Shanghai, China
+86.21.2412.6943
Qingdao, China
+86.532.8771.6101
Singapore
+65.6768.5800
Shin-Yokohama, Japan
+81.45.476.0271
Chat with us:
nvent.com/schroff

Middle East & India

Dubai, United Arab
Emirates
+971.4.378.1700
Bangalore, India
+91.80.6715.2001
Istanbul, Turkey
+90.216.250.7374
Chat with us:
nvent.com/schroff



Notre gamme complète de marques:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE